



Communicable Disease Unit July 2023 KnoWyo Voucher Guidance

Introduction

The Wyoming Department of Health (WDH), Communicable Disease Unit (CDU) receives federal funding to support HIV, Sexually Transmitted Infection (STI), and viral hepatitis B & C testing. KnoWyo also provides information regarding prevention and testing, and offers safety-net testing for HIV, STI, and viral hepatitis B & C infection. KnoWyo vouchers reimburse KnoWyo testing sites for the cost of program approved HIV, STI, and viral hepatitis B & C tests.

Patient Eligibility

Patients must have a Wyoming address and have risk for HIV, STI, or viral hepatitis B & C infection based on the **current** WDH CDU Screening Recommendations. WDH CDU Screening Recommendations follow CDC Recommendations and are adjusted according to risk factors reported during interviews with positive cases in Wyoming. The CDU Screening Recommendations can be found on the CDU STI Health Provider Resources webpage at <https://health.wyo.gov/publichealth/communicable-disease-unit/sexually-transmitted-disease/health-professional-resources/>.

Patients with any form of medical insurance (private, Medicaid, Medicare, VA, etc.) may choose to use either their insurance or a KnoWyo voucher, they may not use both.

DUE TO FUNDING LIMITATIONS:

1. Patients seeking HIV, STI, or viral hepatitis B or C testing as a condition of employment, employee health, evidence of insurability, immigration, obtaining a marriage license, assessing vaccination status, or admission into medical facilities or schools may not use a KnoWyo voucher for testing **unless** the patient is willing to complete the CDU Risk Assessment and they have risk for HIV, STIs, or viral hepatitis B & C infection based on the current WDH CDU Screening Recommendations. If the patient is not willing to complete the CDU Risk Assessment, CDU rapid tests may not be used for the patient. If the testing location policy allows, the patient can pay for the tests themselves and then the testing location will utilize either private stock rapid tests or blood draws for testing.
2. KnoWyo vouchers for hepatitis B and C testing are only to be used to identify **NEW** infections and are **NOT** to be used to monitor existing chronic infections.
 - a. **Prior** to hepatitis B testing, evaluate hepatitis B vaccination status. If there is evidence the patient is fully vaccinated for hepatitis B, **do not** use a KnoWyo voucher for hepatitis B testing unless there is reasonable suspicion of hepatitis B vaccine failure. If the patient does not meet criteria to use a KnoWyo voucher for hepatitis B testing and the testing location policy allows, the patient may pay for the test themselves.
 - b. If the patient has a history of hepatitis C, rapid hepatitis C tests obtained from CDU may **NOT** be utilized. Patients who have a history of hepatitis C will always be antibody positive, and therefore the recommendation is to only test for hepatitis C RNA to

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
(307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

determine if the patient is still infected/re-infected. KnoWyo vouchers may not be used for hepatitis C RNA monitoring in patient with a history of hepatitis C. If the testing location policy allows, the patient may pay for the test themselves.

3. Vouchers may be used for test of cure (i.e. test of cure for pregnant persons four weeks after treatment for chlamydia, or test of cure for pharyngeal gonorrhea 7-14 days after treatment) in accordance with current CDC guidance for test of cure.

The cost of HIV, STI, and viral hepatitis B & C testing may be reimbursed under other circumstances, please contact the Area DIS/Epi regarding atypical circumstances.

KnoWyo Testing Site Eligibility

The following criteria must be met for eligibility to be a KnoWyo testing site and to receive reimbursement:

- Safety-net healthcare provider (Examples: public health, Title X, FQHC, university or student health clinic)
- Organizational medical director/health officer and staff/organizational capacity to provide KnoWyo services
- Provide confidential services
- Current CLIA Waiver
- Complete the CDU rapid test training and sign the CDU Rapid Test Agreement
 - a. Wyoming Public Health Nursing: Each Wyoming Public Health Nursing staff member who will be performing CDU rapid tests must complete CDU rapid test training provided by Public Health Nursing. The supervisor for each PHN office must sign the CDU Rapid Test Agreement and email it to cdusupplies@wyo.gov.
 - b. All other KnoWyo Testing Sites: All KnoWyo testing site staff who will be performing CDU rapid tests must complete CDU rapid test training with CDU staff. The supervisor for each KnoWyo testing must sign the CDU Rapid Test Agreement and email it to cdusupplies@wyo.gov.
- All staff providing KnoWyo testing must complete the CDU Surveillance data system training (PRISM or current software), obtain CDU Surveillance data system access, complete an annual CDU Surveillance data system Rules of Behavior, and meet the CDU Surveillance data system KnoWyo Quality Indicators (see Audit section).
- All staff providing KnoWyo testing must watch the most recent CDU Risk Assessment webinar available at:
<https://drive.google.com/drive/folders/1oQRgzW9mB34Jyec3a1fXZcQtCfvXuth?usp=sharing>
- Complete the of State of Wyoming vendor paperwork, if indicated
- All staff providing KnoWyo testing will read the current KnoWyo Voucher guidance, complete the KnoWyo Voucher Guidance compliance log, email the log to cdusupplies@wyo.gov, and adhere to the current KnoWyo Voucher guidance.
- The supervisor for each KnoWyo testing must sign the KnoWyo Testing Site Agreement and email it to cdusupplies@wyo.gov.
- Each testing location must obtain access to the KnoWyo voucher system and complete KnoWyo voucher website training provided by the Prevention Program Manager
- All staff who will be performing KnoWyo testing must complete CDU Counseling and Testing Training.
 - a. Wyoming Public Health Nursing: Each Wyoming Public Health Nursing staff member who will be performing CDU rapid tests must complete the Counseling and Testing Training provided by Public Health Nursing.

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
(307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

- b. All other KnoWyo Testing Sites: All KnoWyo testing site staff who will be performing CDU rapid tests must complete the CDU Counseling and Testing Training on page 10 of this guidance and complete the CDU Counseling and Testing quiz.
- All staff who will be performing KnoWyo testing must utilize the current CDU Risk Assessment or a comparable patient risk assessment prior to testing.
 - a. Wyoming Public Health Nursing: Each Wyoming Public Health Nursing staff member who will be performing KnoWyo testing must use the current CDU Risk Assessment.
 - b. All other KnoWyo Testing Sites: All KnoWyo testing site staff who will be performing KnoWyo test must use the CDU Risk Assessment or a comparable patient risk assessment.
- All staff who will be performing KnoWyo testing must provide a comprehensive and inclusive sexual health history and provide testing based on the patient’s risk in accordance with the current CDU Screening Recommendations
- All KnoWyo testing sites must provide STI treatment based on the current CDC STD Treatment Recommendations

Clinics interested in becoming a KnoWyo testing sites may contact the Prevention Program Manager at cd�.supplies@wyo.gov.

Testing Administration Fees

Patients requesting or receiving KnoWyo testing may not be charged an administration fee that exceeds \$25.00 and may not be turned away for inability to pay.

Clinics offering a sliding fee scale to patients are expected to offer the sliding fee scale for any service reimbursed through KnoWyo.

Syphilis Call to Action

Due to the national increase in syphilis and congenital syphilis, please waive testing administration fees for syphilis testing. If a KnoWyo testing sites is unable to waive the testing administration fee, the KnoWyo testing site may invoice CDU monthly, up to \$25 per patient receiving syphilis testing with a KnoWyo voucher.

Invoices may be sent to CDU at:

Wyoming Communicable Disease Unit
Prevention Program
 122 West 25th Street, 3rd Floor West
 Cheyenne, WY 82002

Hepatitis and Tuberculosis (TB)

If a patient with a positive TB test is in need of hepatitis testing related to TB treatment, contact the TB Controller at cd�.treatment@wyo.gov before testing the patient for hepatitis.

KnoWyo Voucher Reimbursements

KnoWyo test reimbursements are based on the current Wyoming Public Health Laboratory (WPHL) rates and are subject to change.

CDU provides rapid HIV tests to eligible KnoWyo testing sites at no charge. Eligible KnoWyo testing sites are reimbursed \$15 for each CDU rapid HIV test performed when a KnoWyo voucher is redeemed correctly. This

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
 122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
 (307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

reimbursement is designed to compensate for the testing site’s staff time and effort to enter the required patient risk assessment information and CDU rapid HIV test results into the CDU data surveillance system.

CDU also provides rapid hepatitis C virus tests to eligible KnoWyo testing sites at no charge.

While KnoWyo testing sites may choose to utilize a lab other than the WPHL, reimbursement for KnoWyo testing will be based on the following table regardless of the fee charged by the chosen lab.

Test	Reimbursement Rate
Rapid HIV test provided by CDU	\$15.00
² HIV antibody/antigen blood draw, NO RAPID DONE OR CONTROLS FAILED	\$45.00
Chlamydia and Gonorrhea swab (per site, up to three sites per patient)	\$14.00
Rapid Hepatitis C test provided by CDU	\$0.00
¹ Hepatitis C antibody blood draw, NO RAPID DONE OR CONTROLS FAILED	\$20.00
³ Syphilis blood draw	\$0.00
Hepatitis B panel blood tests (hep B core IgM, hep B surface antibody, hep B antigen)	\$45.00
² HIV CONFIRMATORY blood draw for REACTIVE RAPID TEST ONLY, must notify CDU Area DIS	\$45.00
¹ Hepatitis C CONFIRMATORY blood draw for REACTIVE RAPID TEST ONLY, must notify CDU Area DIS	\$20.00

Please be aware an additional rapid test is not considered to be a confirmatory test. Approved confirmatory tests are listed below:

¹At WPHL, reactive hepatitis C virus (HCV) antibody blood tests will be reflexed for HCV RNA testing. If using a lab other than WPHL, include reflex HCV RNA testing on the lab requisition form.

²At WPHL reactive HIV blood tests will be reflexed for HIV antibody differentiation and/or NAAT/PCR testing as indicated. If using a lab other than WPHL, include reflex testing for HIV antibody differentiation and NAAT/PCR on the lab requisition form.

³Before testing your client, please determine if the client has a history of syphilis (patient history and checking the CDU Surveillance data system - even if they deny history of syphilis). If you client does not have a history of syphilis, please order "syphilis (RPR) screen" if using WPHL. At WPHL a reactive RPR will be reflexed to a confirmatory treponemal test (i.e. FTA-ABS, TP-PA, etc.). If the client does have a history of syphilis, please order “Syphilis (RPR) Titer” instead of “Syphilis (RPR) Screen” on the lab requisition form. **When there is a client history of syphilis, confirmatory testing is not necessary. A titer is sufficient in these cases.** This will help us to conserve funds for other testing. Please see the following Syphilis Testing Job Aid for examples related to ordering syphilis testing at WPHL. For questions or assistance in proper syphilis testing algorithms, please contact your Area DIS.

In the WPHL ordering screen, you will see two options for syphilis testing:

Syphilis (RPR) Screen or Syphilis (RPR) Titer

Before ordering a syphilis test, you will need to know if the client has a history of syphilis.

Select "Syphilis (RPR) Screen" if the client does not have a history of syphilis. This ensures that if reactive, proper confirmatory testing is done.

Sexually Transmitted Infection ⓘ

HIV Screening Syphilis (RPR) Screen Syphilis (RPR) Titer ⓘ

ASK AT ORDER ENTRY QUESTIONS

If the client you are testing has a history of syphilis in the past (please check PRISM even if client reports never having had syphilis before), please select "Syphilis (RPR) Titer". If they have a history of syphilis, confirmatory testing is not necessary. We only need the titer to compare to previous titers.

*Please note, you do NOT want an FTA if your client has a history of syphilis.

Sexually Transmitted Infection ⓘ

HIV Screening Syphilis (RPR) Screen Syphilis (RPR) Titer ⓘ

ASK AT ORDER ENTRY QUESTIONS

* Has the patient previously tested positive for syphilis?
 Yes No

* Syphilis Test Hx
diagnosed with syphilis approx 12 months ago

* Do you want a FTA performed?
 Yes No

TESTING INFORMATION

- * Date/Time Collected
- Date of onset
- ✓ * Specimen Type
- * Facility Specimen ID
- Diagnosis Code (ICD-10)
- ✓ * Tests

ASK AT ORDER ENTRY QUESTIONS

- ✓ * Has the patient previously tested positive for syphilis?
- ✓ * Syphilis Test Hx
- ✓ * Do you want a FTA performed?
- Additional Comments

Additional Comments

Syphilis (RPR) Titer is only to be selected if the patient had a previous positive result for syphilis.

Staff Responsibilities

Staff at KnoWyo testing sites are responsible for logging into their KnoWyo account to create and redeem KnoWyo vouchers. KnoWyo vouchers are to be created and redeemed in real-time, if a KnoWyo voucher cannot be redeemed in real time, it is to be redeemed by the last day of the month in which the voucher was created. Invoices for vouchers redeemed the previous month will automatically be generated by the KnoWyo system the first of each month and will be then processed for payment by CDU. All vouchers must be redeemed within the calendar year they were created. Example: All KnoWyo vouchers for 2023 services must be redeemed by 12/31/2023.

When creating a KnoWyo voucher, select the correct insurance status and other demographics for the patient. Select all applicable risk factors and **only select ‘Sexually Active – NO OTHER RISK(S)’ if the patient truly has no other risk(s).**

KnoWyo testing site staff will:

- Require all staff providing KnoWyo testing will read the current KnoWyo Voucher guidance, complete the KnoWyo Voucher Guidance compliance log, and follow the current KnoWyo Voucher guidance.
- Routinely check the clinic’s listing on the KnoWyo.org website. If the address, phone number, hours of services, or services change complete the KnoWyo Testing Site update form on the CDU Prevention Program website at <https://health.wyo.gov/publichealth/communicable-disease-unit/hiv-prevention-program/> within seven days of the change.
- Notify the Prevention Program Manager within seven days if the primary contact for the KnoWyo user account changes.
- Utilize the current CDU Surveillance data system (PRISM or current software) as instructed and follow the current CDU Surveillance data system guidance. Staff changes must be reported to CDU within 72 hours of the change.
- Call the Prevention Program Manager or Area DIS if there is a compelling reason to forego a rapid test and draw blood instead. Please leave a message or send an email if you are unable to reach Prevention Program Manager or Area DIS and proceed with the blood draw. The CDU employee directory can be found at <https://health.wyo.gov/publichealth/communicable-disease-unit/staff/>.
- Report positive test results within the timeline specified on the Wyoming Department of Health Reportable Disease and Conditions list <https://health.wyo.gov/publichealth/infectious-disease-epidemiology-unit/reporting/>.
- Redeem KnoWyo vouchers for all CDU rapid HIV and HCV tests, as well as KnoWyo HIV, chlamydia, gonorrhea, syphilis, hepatitis B, and hepatitis C tests performed at the KnoWyo testing site.

CDU Surveillance Data System – Data Entry

KnoWyo testing sites must use the current CDU Surveillance data system for chlamydia, gonorrhea, syphilis, HIV, hepatitis B, and hepatitis C tracking. All KnoWyo testing sites must have an employee (approved to use CDU Surveillance data system) enter testing data into the data system within seven days of the test date and check the CDU Surveillance data system at least weekly to read assigned task notes and complete tasks within seven days of assignment.

CDU HIV rapid test result (reactive [positive], non-reactive [negative], indeterminate, or refused) must be entered into CDU Surveillance data system within seven days of the test date with all required fields completed, as indicated in the CDU Surveillance data system manual.

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
(307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

When entering an HIV test for a patient that also tested positive for chlamydia, gonorrhea, syphilis, hepatitis B, or hepatitis C at the same visit, the KnoWyo testing site will enter all information pertaining to that patient in a field record for each condition. Interview records may be linked to multiple conditions in the CDU Surveillance data system.

CDU rapid HIV results may not be entered in an anonymous profile.

Non-compliance with reporting requirements may result in delays for reimbursements and/or supply orders.

KnoWyo Best Practices and Quality Benchmarks

KnoWyo quality benchmarks are set annually and performance is reviewed quarterly to ensure KnoWyo testing is performed in accordance with the WDH CDU Screening Recommendations and best practices. Non-compliance with KnoWyo best practices and quality benchmarks may result in delays for reimbursements and/or supply orders.

- All patients at risk for chlamydia, gonorrhea, syphilis, hepatitis B, or hepatitis C are also at risk for HIV. If a patient is being tested for chlamydia, gonorrhea, syphilis, hepatitis B, or hepatitis C also test them for HIV unless they are HIV+. If a patient refuses HIV testing, provide education regarding HIV transmission and testing in accordance with current CDC HIV testing recommendations that is specific to the patient's HIV risk.
- Patients who have had extra-genital (oral or anal) sex have risk for chlamydia and gonorrhea infection at those sites. If a patient has engaged in extra-genital sex perform appropriate extra-genital (aka Three-Site) testing.
 - *The majority of gonococcal infections of the pharynx are asymptomatic and can be relatively common among certain populations. Although these infections rarely cause complications, they have been reported to be a major source of community transmission and might be a driver of antimicrobial resistance. [CDC STI Treatment Guidelines](#).*
 - *Rectal and pharyngeal testing by NAAT for gonorrhea and chlamydia is recognized as an important sexual health consideration for MSM. Rectal gonorrhea and chlamydia are associated with HIV infection, and men with repeat rectal infections can be at substantially higher risk for HIV acquisition. Pharyngeal infections with gonorrhea or chlamydia might be a principal source of urethral infections. [CDC STI Treatment Guidelines](#).*
- Urine testing for chlamydia and gonorrhea testing is less accurate for patients with a vagina. If a patient's sex assigned at birth is female and they have a vagina, a self-collected vaginal swab or a provider collected vaginal swab for genital chlamydia and gonorrhea testing is preferred.

Current CDU Screening Recommendations, as well as information on Three-Site testing and vaginal swabs can be found on the CDU Health Professional Resources webpage at:

<https://health.wyo.gov/publichealth/communicable-disease-unit/sexually-transmitted-disease/health-professional-resources/>.

2023 KnoWyo Quality Benchmarks

HIV Testing

(Total HIV tests) ÷ (total CT/GC urine + vaginal tests) = ≥85%

Extragenital Testing

(Total CT/GC extragenital tests) ÷ (total CT/GC urine + vaginal tests) = ≥80%

Pharyngeal CT/GC

(Total CT/GC pharyngeal tests) ÷ (total CT/GC urine + vaginal tests) = ≥30%

Rectal CT/GC

(Total CT/GC rectal tests) ÷ (total CT/GC urine + vaginal tests) = ≥25%

Hepatitis B & C Testing

(Total hepatitis tests) ÷ (total CT/GC urine + vaginal tests) = monitoring

Syphilis Testing

(Total syphilis test) ÷ (total CT/GC urine + vaginal tests) = 75%

Vaginal Swabs for CT/GC

(Number of vaginal swabs) ÷ (number of vouchers for females) = ≥80%

Audits

The CDU reserves the right to audit the CDU Surveillance data system and all patient records related to KnoWyo testing to ensure program funds are being allocated appropriately. If it is determined that funds have been allocated inappropriately, the KnoWyo testing site may be required to reimburse CDU for funds which were not use appropriately.

The CDU Surveillance data system is audited on a routine basis for accuracy and timeliness of entries. Non-compliance with reporting requirements may result in delays for reimbursements and/or supply orders.

CDU Surveillance Data System KnoWyo Quality Indicators:

- 1) Completeness and accuracy of patient demographic information, clinical information, and risks
- 2) All HIV test results entered into the CDU Surveillance data system within one week (7 days) of test date
- 3) Assigned CDU Surveillance data system tasks completed within one week (7 days) of assignment
- 4) All records entered will include a note with the name or initials of the person entering the data

Funding Limitations

All KnoWyo offerings are subject to availability of funding.

Wyoming Department of Health Communicable Disease Unit

Rapid Test Agreement

The Wyoming Department of Health (WDH) Communicable Disease Unit (CDU) utilizes grant funding to purchase rapid tests and provides them to safety-net testing sites free of charge. Locations receiving rapid tests from CDU must adhere to the following:

1. Provide current CLIA Waiver to the CDU Data Manager
2. All staff who will utilize the CDU Surveillance data system (PRISM or current software) must complete the approved training and sign a Rules of Behavior (ROB) form prior to accessing the system.
3. All staff who will utilize the CDU Surveillance data system must complete an updated ROB on an annual basis.
4. The CDU Surveillance data system must be checked at least weekly by the testing site staff, assigned task notes must be read, and the task must be completed within seven days of assignment.
5. Each staff member performing CDU provided rapid tests must complete CDU approved training for the test(s) they are performing.
6. The testing site will notify the CDU Data Manager within 72 hours when staff with access to the CDU Surveillance data system leave their employment.
7. Follow the current CDU rapid test and data surveillance system guidance.
8. Testing sites receiving CDU rapid tests may not charge or bill for the CDU rapid test itself.
9. Report reactive (positive) rapid results in accordance with the Wyoming Department of Health Reportable Disease and Conditions list <https://health.wyo.gov/publichealth/infectious-disease-epidemiology-unit/reporting/>.

Rapid HIV tests only

1. The staff member, or a designee with access to the risk assessment or the visit note, must completely and accurately enter all rapid HIV test patient demographics, risks, and results into the surveillance data system within seven days of the test for positive, negative, refused, and indeterminate HIV tests.
2. If a staff member performs a CDU rapid HIV test that is a reactive (positive) they will immediately call the Area DIS as per current CDU guidance. This may include calling the DIS before the client leaves.

Rapid hepatitis C virus (HCV) tests only

1. If a staff member performs a CDU rapid HCV test that is reactive (positive) they will notify the Area DIS via email within 48 hours of the test.

Please note that all WDH CDU offerings are subject to funding and supply availability.

Signature of Testing Location Director/Manager

Date Signed

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
(307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

Wyoming Department of Health Communicable Disease Unit

KnoWyo Testing Site Agreement

The Wyoming Department of Health (WDH) Communicable Disease Unit (CDU) utilizes grant funding for KnoWyo voucher safety-net testing which reimburses eligible testing sites for allowable tests at Wyoming Public Health Lab (WPHL) rates. Locations participating in KnoWyo testing must adhere to the following:

1. Read and follow the current CDU KnoWyo Voucher guidance.
2. Routinely check the clinic's listing on the KnoWyo.org website and complete the KnoWyo Testing Site update form on the CDU Prevention Program website at <https://health.wyo.gov/publichealth/communicable-disease-unit/hiv-prevention-program/> within seven days of the change.
3. Notify the Prevention Program Manager within seven days if the primary contact for the KnoWyo user account changes. Staff at KnoWyo testing sites are responsible for logging into their KnoWyo account to create and redeem KnoWyo vouchers in accordance with the current KnoWyo Guidance.
4. When creating a KnoWyo voucher, select the correct insurance status and other demographics for the patient. Select the most accurate reason for testing and **only select 'Sexually Active – NO OTHER RISK' if the patient truly has no other risk.**
5. KnoWyo vouchers are to be created and redeemed in real-time. If a KnoWyo voucher cannot be redeemed in real time, it is to be redeemed by the last day of the month in which the voucher was created.
6. Patients requesting or receiving KnoWyo testing may not be charged an administration fee that exceeds \$25.00 and may not be turned away for inability to pay.
7. Each staff member performing CDU provided rapid tests must adhere to the current CDU Rapid Test Agreement.
8. Testing site staff will provide comprehensive and inclusive sexual health history.
9. Testing site staff will test patients based on risk in accordance with current WDH CDU Screening Recommendations.
10. Testing site staff will utilize the current CDU Surveillance data system as instructed and follow the current CDU Surveillance data system guidance.
11. Testing sites will have an employee (approved to use CDU Surveillance data system) enter testing data into the data system in a timely manner and check the CDU Surveillance data system routinely to read assigned task notes and complete tasks within seven days of assignment, and initial notes entered into the data system.
12. The testing site will notify the CDU Data Manager within 72 hours when staff with access to the CDU Surveillance data system leave their employment.
13. Testing site will meet the CDU Surveillance data system KnoWyo Quality Indicators.
14. Follow KnoWyo Guidance regarding:
 - a. HIV testing
 - b. Extragenital testing
 - c. Vaginal swabs for patients assigned female at birth
15. Provide treatment in accordance with the current CDC STD Treatment guidelines.

Please note that all WDH CDU offerings are subject to funding and supply availability.

Signature of KnoWyo Testing Location Director/Manager

Date Signed

Wyoming Department of Health • Public Health Division
Public Health Sciences Section • Communicable Disease Unit
122 West 25th Street, 3rd Floor West • Cheyenne WY 82002
(307) 777-3562 • FAX (307) 777-5279

Updated 7/18/2023

CDU Counseling and Testing Training for KnoWyo Testing Sites which are not Wyoming Public Health Offices

- STIs
 - Chlamydia <https://www.cdc.gov/std/chlamydia/stdfact-chlamydia.htm>
 - Gonorrhea <https://www.cdc.gov/std/gonorrhea/stdfact-gonorrhea.htm>
 - Syphilis <https://www.cdc.gov/std/syphilis/stdfact-syphilis.htm>
 - PID <https://www.cdc.gov/std/pid/stdfact-pid.htm>
 - CDC STD Treatment Guidelines <https://www.cdc.gov/std/treatment-guidelines/default.htm>
- HIV
 - HIV Basics <https://www.cdc.gov/hiv/basics/>
 - HIV Prevention <https://www.cdc.gov/hiv/basics/prevention.html>
 - HIV Testing <https://www.cdc.gov/hiv/basics/testing.html>
 - HIV Stigma <https://www.cdc.gov/hiv/basics/hiv-stigma/index.html>
 - Delivering Positive HIV Results <https://youtu.be/YG9bYOWljic>
 - U=U <https://www.health.harvard.edu/blog/uu-ending-stigma-and-empowering-people-living-with-hiv-2020042219583>
 - PrEP <https://www.cdc.gov/hiv/basics/prep.html>
 - PEP <https://www.cdc.gov/hiv/risk/pep/index.html>
- Positive HIV test Result Protocol
 - Call the CDU Area DIS immediately, while the patient is still in the office.
- Hepatitis
 - Hepatitis B <https://www.cdc.gov/std/treatment-guidelines/hbv.htm>
 - Hepatitis C <https://www.cdc.gov/std/treatment-guidelines/hcv.htm>
- Specimen Collection and Lab Protocols
 - If you will be using WPHL for specimens, set up an account with them if not already set-up <https://health.wyo.gov/publichealth/lab/>
 - How to order specimen collection supplies from WPHL <https://health.wyo.gov/publichealth/lab/forms-2/>
 - How to use WPHL portal to order and review results <https://health.wyo.gov/publichealth/lab/ordering-tests-at-wphl/>
 - If using a lab other than WPHL, please coordinate with that lab regarding proper specimen collection.
- Taking a Sexual History <https://www.cdc.gov/hiv/clinicians/transforming-health/health-care-providers/sexual-history.html>
- Harm Reduction <https://harmreduction.org/about-us/principles-of-harm-reduction/>
- KnoWyo website www.knowyo.org
- W[h]Y PrEP Matters website <https://wyprepmatters.com/>
- Navigation Assistance for PrEP and Hepatitis C Treatment Access <https://health.wyo.gov/publichealth/communicable-disease-unit/>
- CDU KnoWyo Counseling and Testing Quiz <https://forms.gle/WTSgAb6UBeSsTfCp7>