



INFLUENZA REPORT 2023-2024 Influenza Season

MMWR Week 4 (1/21/24-1/27/24)

Weekly Report of Influenza and Influenza-like Illness (ILI) Activity

Wyoming Department of Health | Updated February 2, 2024

Overview (MMWR Week 4)



Influenza and Influenza-like Illness Activity

Spread

Regional Transmission increased in most counties this week

Co-circulating

Other Viruses: SARS-CoV-2 RSV

Outbreaks

0 No newly reported LTCF or school associated outbreaks this week

Syndromic

0 No syndromic anomalies reported this week

Flu Activity

High Activity levels remain elevated across the state

Seasonal Data

Types of Flu Influenza A and B viruses are circulating

Severity

Hospitalizations

The number of weekly hospital admissions remains stable compared to last week

EMS

28 Suspected ILI reports this week

ILI Activity

High High levels of outpatient respiratory illnesses continue to be reported

Subtypes

Primary: A/H1N1 Predominately H1N1 viruses reported across the country this week

Deaths

0

No locally reported pediatric deaths; 65 pediatric deaths reported in the US so far this season

Hot Spots

Tracking Trends Several counties reported an increase in case counts this week

Geographic Spread




Geographic Activity by Regions

Wyoming as a whole had **high** activity this week (MMWR Week 4). Transmission levels remain elevated across the state.

Healthcare providers in 17 counties reported ILI activity.

The electronically reported influenza cases represent all five Infectious Disease Epidemiology (IDE) Geographic Regions.

Healthcare providers across the state electronically reported **344 cases** of influenza (rapid influenza diagnostic tests and PCR confirmed tests) this week.



IDE Geographic Regions of Wyoming

Southeastern (**regional**, with cases reported in Goshen, Laramie, and Platte counties)

Central (**regional**, with cases reported in Carbon, Fremont and Natrona counties) Western (**regional**, with cases reported in Sweetwater, Teton, and Uinta counties)



Big Horn (**regional**, with cases reported in Park and Big Horn counties)

Northeastern (**widespread**, with cases reported in every county)


Virologic Surveillance

Public Health Laboratory

The overall volume of samples tested for influenza at the Wyoming Public Health Laboratory has increased since the introduction of the CDC Influenza SARS-CoV-2 Multiplex Assay. Wyoming saw an **increase** in the number of positive influenza specimens reported this week compared to week 3.

Healthcare and Clinical Laboratories

Clinical laboratories most frequently reported influenza A/H1N1 viruses during MMWR Week 4, with some influenza A/H3N2 and B viruses. Wyoming has continued to see an increase in the proportion of influenza B lab reports.



Electronic Lab Reports of Influenza Cases

* This graph is not representative of all influenza cases across the state

Wyoming Department of Health | Page 5

Influenza-like Illness Surveillance




ILINet Providers

The percent of patient visits to ILINet Sentinel Providers for an influenza-like illness was 8.80%, which is above Wyoming's baseline (2.64%), and a significant increase compared to week 3.

The Wyoming Department of Health received reports from more than 50% of the ILINet providers across the state. Although weekly percentages could continue to change as additional values are submitted.

Key Updates: Outpatient respiratory illness has been above baseline nationally since November and is above baseline in all 10 HHS Regions. Based on CDC calculations, transmission within Wyoming remained high this week. Seasonal influenza activity remains elevated nationally with increases in some parts of the country.



Weekly Percent of ILI Visits

Wyoming Department of Health | Page 4


Pneumonia and Influenza Mortality



Mortality Data

Tracking death certificates is the best surveillance system to capture and identify pneumonia and influenza-associated deaths in Wyoming. According to the CDC, influenza is infrequently listed on death certificates. Also, testing for seasonal influenza infections is not frequently performed, particularly among the elderly, who are at greatest risk for seasonal influenza complications and death. Therefore, public health officials may not identify influenza-associated deaths in many instances; consequently, this surveillance system may underestimate the true impact of influenzaassociated deaths across the state.

There have been 29 pneumonia and influenza (P&I) mortality reports certified since the beginning of the 2023-2024 Influenza Season.



Monthly P&I Mortality Reports (2019-2024)

Wyoming Department of Health | Page 6