

WyIR Inventory Reconciliation							
How to reconcile public vaccine inventory in the Wyoming Immunization Registry							
ADMINISTERED							
Explanation	Category	Reason	Example from the WyIR				
DO NOT USE: All vaccine doses should be accounted for either through a recorded administered vaccine entry to the WyIR or through one of the appropriate, relevant and acceptable Categories below.	Administered	Administered but not linked to a vaccine (DO NOT USE)	DO NOT USE				
DO NOT USE: All vaccine doses should be accounted for either through a recorded administered vaccine entry to the WyIR or through one of the appropriate, relevant and acceptable Categories below.	Administered	System non-user aggregate reporting only (DO NOT USE)	DO NOT USE				
EXPIRED							
Explanation	Category	Reason	Example from the WyIR				
Use to REMOVE doses when vaccine has exceeded its labeled (or federally declared [COVID-19] extension) expiration date.	Expired	Expired	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Expired</td> <td>Expired</td> </tr> </tbody> </table>	Category	Reason	Expired	Expired
Category	Reason						
Expired	Expired						
Use to REMOVE doses when open multi-dose vials (Ex. polio(IPV) and COVID-19) have additional product remaining after puncture and the expiration date has been met.	Expired	Expired Open Multi-dose Vials	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Expired</td> <td>Expired Opened Multi-dose Vials</td> </tr> </tbody> </table>	Category	Reason	Expired	Expired Opened Multi-dose Vials
Category	Reason						
Expired	Expired Opened Multi-dose Vials						
RECALL (Use Only as Directed by the Immunization Unit)							
Explanation	Category	Reason	Example from the WyIR				
Use only if instructed to do so from the Immunization Unit.	Recall	Vaccine Recall	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Recall</td> <td>Vaccine recall</td> </tr> </tbody> </table>	Category	Reason	Recall	Vaccine recall
Category	Reason						
Recall	Vaccine recall						
SPOILED (Use Only as Directed by the Immunization Unit)							
Explanation	Category	Reason	Example from the WyIR				
DO NOT USE: Vaccine doses that arrive from an order shipment as non-viable need to be REJECTED from the vaccine order page in the WyIR. Vaccines should not be accepted into the WyIR from an order if there was an issue with cold chain during shipment.	Spoiled	Cold-chain not maintained during shipment	DO NOT USE				
Use to REMOVE doses if vaccine is deemed non-viable after it has been received from an order shipment delivery and was stored inappropriately at the facility after acceptance.	Spoiled	Failure to Store Properly Upon Receipt	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Failure to Store Properly Upon Receipt</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Failure to Store Properly Upon Receipt
Category	Reason						
Spoiled	Failure to Store Properly Upon Receipt						
Use to REMOVE doses if vaccines are deemed non-viable after a temperature excursion occurs involving a natural disaster or power outage.	Spoiled	Natural Disaster / Power Outage	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Natural Disaster / Power Outage</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Natural Disaster / Power Outage
Category	Reason						
Spoiled	Natural Disaster / Power Outage						
Use to REMOVE doses if vaccine is deemed non-viable after it was spoiled in a temperature excursion due to inaccurate storage (Ex. Left at room temperature; Frozen vaccines stored in the refrigerator or vice versa).	Spoiled	Not properly stored	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Not properly stored</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Not properly stored
Category	Reason						
Spoiled	Not properly stored						

WyIR Inventory Reconciliation Guide

Use to REMOVE doses if vaccine is deemed non-viable after it was spoiled in a temperature excursion in which a storage unit failed for mechanical reasons (does not include storage unit door left open.)	Spoiled	Refrigerator/Freezer Mechanical Failure	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Refrigerator/Freezer Mechanical Failure</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Refrigerator/Freezer Mechanical Failure
Category	Reason						
Spoiled	Refrigerator/Freezer Mechanical Failure						
Use to REMOVE doses if vaccine is deemed non-viable after it was spoiled in a temperature excursion due to freezer/refrigerator temperatures being too cold.	Spoiled	Refrigerator/Freezer Too Cold	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Refrigerator/Freezer Too Cold</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Refrigerator/Freezer Too Cold
Category	Reason						
Spoiled	Refrigerator/Freezer Too Cold						
Use to REMOVE doses if vaccine is deemed non-viable after it was spoiled in a temperature excursion due to freezer/refrigerator temperatures being too warm.	Spoiled	Refrigerator/Freezer Too Warm	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Refrigerator/Freezer Too Warm</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Refrigerator/Freezer Too Warm
Category	Reason						
Spoiled	Refrigerator/Freezer Too Warm						
Use to REMOVE doses if a vaccine is deemed non-viable after it was spoiled in a temperature excursion during transportation. (Ex: From one provider to another or to and from a clinic.)	Spoiled	Vaccine Spoiled in Transit	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Spoiled</td> <td>Vaccine Spoiled in Transit</td> </tr> </tbody> </table>	Category	Reason	Spoiled	Vaccine Spoiled in Transit
Category	Reason						
Spoiled	Vaccine Spoiled in Transit						
TRANSFER (Removing Doses)							
Explanation	Category	Reason	Example from the WyIR				
Use to REMOVE PUBLIC doses from inventory that are being used as replacement doses previously borrowed from private supply.	Transfer	Restock Private Inventory from Public	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Transfer</td> <td>Restock Private Inventory from Public</td> </tr> </tbody> </table>	Category	Reason	Transfer	Restock Private Inventory from Public
Category	Reason						
Transfer	Restock Private Inventory from Public						
Use to REMOVE PRIVATE doses from inventory that are being used as replacement doses previously borrowed from public supply.	Transfer	Restock Public Inventory from Private	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Transfer</td> <td>Restock Public Inventory from Private</td> </tr> </tbody> </table>	Category	Reason	Transfer	Restock Public Inventory from Private
Category	Reason						
Transfer	Restock Public Inventory from Private						
Use to REMOVE PRIVATE doses if returning PRIVATE vaccine inventory to vaccine vendors/manufacturers.	Transfer	Return to vendor, non-VFC supplied	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Transfer</td> <td>Returned to vendor, non-VFC supplied</td> </tr> </tbody> </table>	Category	Reason	Transfer	Returned to vendor, non-VFC supplied
Category	Reason						
Transfer	Returned to vendor, non-VFC supplied						
DO NOT USE: Public Vaccine returns should be submitted and processed in the WyIR using the Order/Transfers functionality.	Transfer	Returned to WyVIP Program	DO NOT USE				
DO NOT USE: Public Vaccine returns should be submitted and processed in the WyIR using the Order/Transfers functionality.	Transfer	Returned to depot	DO NOT USE				
DO NOT USE: To transfer vaccine to another provider, submit the transfer in the WyIR using the Orders/Transfers functionality. This applies to both PUBLIC and PRIVATE vaccine managed in the WyIR.	Transfer	Transfer to another provider	DO NOT USE				
WASTED							
Explanation	Category	Reason	Example from the WyIR				
Use to REMOVE doses when vaccine inventory has been physically broken or spilled after a vaccine has been accepted into the facility inventory.	Wasted	Broken/Dropped/Spilled	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Wasted</td> <td>Broken/Dropped/Spilled</td> </tr> </tbody> </table>	Category	Reason	Wasted	Broken/Dropped/Spilled
Category	Reason						
Wasted	Broken/Dropped/Spilled						
Use to REMOVE doses when open multi-dose vials (Ex. polio (IPV) and COVID-19) have additional product remaining after puncture and the viability time-frame has been met.	Wasted	Dose Count Variance Multi-dose Vial	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Wasted</td> <td>Dose Count Variance Multi-dose Vial</td> </tr> </tbody> </table>	Category	Reason	Wasted	Dose Count Variance Multi-dose Vial
Category	Reason						
Wasted	Dose Count Variance Multi-dose Vial						
Use to REMOVE doses only when vaccine has been drawn up but cannot be administered.	Wasted	Drawn up, not used	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Wasted</td> <td>Drawn up, not used</td> </tr> </tbody> </table>	Category	Reason	Wasted	Drawn up, not used
Category	Reason						
Wasted	Drawn up, not used						
Use to REMOVE doses only when all other methods and research have been completed to reconcile and vaccine doses cannot be accounted for.	Wasted	Lost and Unaccounted	<table border="1"> <thead> <tr> <th>Category</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>Wasted</td> <td>Lost and Unaccounted</td> </tr> </tbody> </table>	Category	Reason	Wasted	Lost and Unaccounted
Category	Reason						
Wasted	Lost and Unaccounted						

WyIR Inventory Reconciliation Guide

Use to REMOVE doses only if a vaccine dose is damaged in transit from one facility to another.	Wasted	Vaccine Damaged in Transit	Category	Reason
			Wasted	Vaccine Damaged in Transit
TRANSFER (Adding Doses)				
Explanation	Category	Reason	Example from the WyIR	
Use to add PUBLIC doses into inventory that have been borrowed from private vaccine supply.	Transfer	Borrowed from Private Inventory	Category	Reason
			Transfer	Borrowed from Private Inventory
Use to add PRIVATE doses into inventory that have been borrowed from public vaccine supply.	Transfer	Borrowed from Public Inventory	Category	Reason
			Transfer	Borrowed from Public Inventory
DO NOT USE: To transfer vaccine to another provider, submit the transfer in the WyIR using the Orders/Transfers functionality.	Transfer	Received from another provider	DO NOT USE	
ORDER RECEIVED (Adding Doses)				
Explanation	Category	Reason	Example from the WyIR	
Use to ADD doses when COVID-19 multi-dose vials accommodate additional administered doses beyond the labeled amount. (Ex. Moderna COVID-19 booster doses).	Order Received	Dose Count Variance Multi-dose Vial	Category	Reason
			Order Received	Dose Count Variance Multi-dose Vial
Use to ADD PRIVATE doses into inventory when received directly from a vaccine manufacturer or vendor.	Order Received	Received directly from vendor, not WyVIP supplied	Category	Reason
			Order Received	Received directly from vendor, not WyVIP :
DO NOT USE: All PUBLIC vaccine doses should be processed through the Order/Transfers page in the WyIR once they arrive at the facility. (This applies to both orders and transfers).	Order Received	Order Received	DO NOT USE	
DO NOT USE: All PUBLIC vaccine doses should be processed through the Order/Transfers page in the WyIR once they arrive at the facility. (This applies to both orders and transfers).	Order Received	Received from CDC, not WyVIP supplied	DO NOT USE	
DO NOT USE: All PUBLIC vaccine doses should be processed through the Order/Transfers page in the WyIR once they arrive at the facility. (This applies to both orders and transfers).	Order Received	Received from WyVIP Program	DO NOT USE	
DO NOT USE: All PUBLIC vaccine doses should be processed through the Order/Transfers page in the WyIR once they arrive at the facility. (This applies to both orders and transfers).	Order Received	Received from depot	DO NOT USE	

Updated: 05/20/2022