



# INFLUENZA REPORT

2023-2024 Influenza Season

MMWR Week 13 (3/24/24-3/30/24)

**Weekly Report of Influenza and Influenza-like Illness (ILI) Activity**



## Influenza and Influenza-like Illness Activity

### Spread

#### Local

Transmission levels continued to decrease in most counties this week

### Flu Activity

#### High

Reported activity levels remain elevated across the state

### ILI Activity

#### High

Continued reports of outpatient respiratory illnesses

### Co-circulating

#### Other Viruses:

low levels of SARS-CoV-2 and RSV

### Seasonal Data

#### Types of Flu

Influenza A and B viruses are circulating

### Subtypes

All three viruses (A/H1N1, A/H3N2, and B/Victoria) were reported in equal proportions this week

### Outbreaks

**0**

No newly reported LTCF or school associated outbreaks this week

### Severity

#### Hospitalizations

Nationally, the number of hospital admissions has been decreasing since January

### Deaths

**0**

No locally reported pediatric deaths; 133 pediatric deaths reported in the US so far this season

### Syndromic

**0**

No syndromic anomalies were reported this week

### EMS

**15**

Suspected ILI reports this week

### Hot Spots

#### Tracking Trends

Counties in the North East corner of the state are driving case counts



## Geographic Activity by Regions


Wyoming as a whole had **high** ILI activity this week (MMWR Week 13). Transmission levels remain elevated across the state, although overall reported case counts continue to decrease.

Healthcare providers in **12** counties reported ILI activity.

The electronically reported influenza cases represent **all five** Infectious Disease Epidemiology (IDE) Geographic Regions.

Healthcare providers across the state electronically reported **51 cases** of influenza (rapid influenza diagnostic tests and PCR confirmed tests) this week.

### IDE Geographic Regions of Wyoming



- Southeastern (**local**, with cases reported in Laramie, and Goshen counties)
- Central (**local**, with cases reported in Natrona, Fremont, and Carbon counties)
- Western (**local**, with cases reported only in Uinta County)
- Big Horn (**local**, with cases reported only in Park County)
- Northeastern (**regional**, with cases reported in every county besides Washakie)




## Public Health Laboratory

The overall volume of samples tested for influenza at the Wyoming Public Health Laboratory has increased since the introduction of the CDC Influenza SARS-CoV-2 Multiplex Assay. Wyoming saw a **slight decrease** in the number of positive influenza specimens reported this week compared to week 12.

## Healthcare and Clinical Laboratories

Clinical laboratories across the United States reported **all three influenza viruses (A/H1N1, A/H3N2, and B/Victoria)** co-circulating in equal proportions during MMWR Week 13.

### Electronic Lab Reports of Influenza Cases



\* This graph is not representative of all influenza cases across the state


# Wastewater Surveillance




## Importance of Wastewater Surveillance:

Jurisdictions across the country have recently started utilizing wastewater sampling to conduct surveillance for different pathogens. Here at the WPHL, we have a team of scientists working to analyze wastewater samples to identify trends in influenza (and many other targets). The graphs pictured below depict trend lines that correlate relatively well with the case counts and activity percentages we have seen so far this season.


Influenza A and B Concentration Levels in Cheyenne Wastewater




Influenza A and B Concentration Levels in Rawlins Wastewater



Influenza A and B Concentration Levels in Green River Wastewater



Influenza A and B Concentration Levels in Sheridan Wastewater



## Sampling and Analysis Methodologies:

For each city, twice a week, we have a wastewater utility operator take a 24 hour composite sample from the influent channel prior to treatment, of which they send us a total of 150mL in three 50mL tubes for us to test. They then ship the samples chilled via priority overnight so that we can run all of our measurements the following day. The sampling procedure is conducted in triplicate, and we take an average of the three to determine the estimated concentration of viral particles present in the wastewater for any given day. We then take the average concentration and divide it by our percent recovery to account for any deviation due to differing levels of present inhibitors. Each plot point on the graph represents the average viral concentration for a set of triplicates, normalized for the percent recovery.




## ILINet Providers

The percent of patient visits to ILINet Sentinel Providers for an influenza-like illness was **6.03%**, which is **above** Wyoming's baseline (**2.64%**), but relatively the same compared to week 12.

The Wyoming Department of Health received reports from **more than 50%** of the ILINet providers across the state. Although weekly percentages could continue to change as additional values are submitted.

**Key Updates:** Outpatient respiratory illness declined, but remains above baseline nationally. HHS Regions 2, 4, 6, 8, 9, and 10 are below their baselines, while all other HHS regions remain at or above their region-specific baseline. Based on CDC calculations, transmission within Wyoming was **high** this week. Seasonal influenza activity remains elevated, but is decreasing across the country.

### Weekly Percent of ILI Visits





## Mortality Data

Tracking death certificates is the best surveillance system to capture and identify pneumonia and influenza-associated deaths in Wyoming. According to the CDC, influenza is infrequently listed on death certificates. Also, testing for seasonal influenza infections is not frequently performed, particularly among the elderly, who are at greatest risk for seasonal influenza complications and death. Therefore, public health officials may not identify influenza-associated deaths in many instances; consequently, this surveillance system may underestimate the true impact of influenza-associated deaths across the state.

There have been **43** pneumonia and influenza (P&I) mortality reports certified since the beginning of the 2023-2024 Influenza Season.

### Monthly P&I Mortality Reports (2019-2024)

