

## CENTERS FOR MEDICARE &amp; MEDICAID SERVICES


STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 53C0001023	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 12/09/2025
NAME OF PROVIDER OR SUPPLIER Powder River Surgery Center		STREET ADDRESS, CITY, STATE, ZIP CODE 908 W 6th Street, Suite C, Gillette, Wyoming, 82716		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E0000	Initial Comments  An Emergency Preparedness revisit survey was conducted by Healthcare Licensing and Surveys on 12/09/2025 for all previous deficiencies cited on 09/15/2025. All deficiencies have been corrected, and the facility is now in compliance with 42 CFR 416.54.	E0000		

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE 	TITLE 12/29/2025 Director	(X6) DATE 12/29/2025
---	------------------------------	-------------------------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 53C0001023	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - Main Building B. WING	(X3) DATE SURVEY COMPLETED 12/09/2025
NAME OF PROVIDER OR SUPPLIER Powder River Surgery Center		STREET ADDRESS, CITY, STATE, ZIP CODE 906 W 6th Street, Suite C, Gillette, Wyoming, 82716		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K0000 Bldg. 01	INITIAL COMMENTS  A Life Safety Code revisit survey was conducted by Healthcare Licensing and Surveys on 12/09/2025 for all previous deficiencies cited on 09/15/2025. All deficiencies have been corrected, and the facility is now in compliance with 42 CFR 416.44.	K0000		

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE 	TITLE Director	(X6) DATE 12/29/25
---	-------------------	-----------------------