

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 531509	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 03/18/2026
---	---	--	---

NAME OF PROVIDER OR SUPPLIER Hospice of Laramie	STREET ADDRESS, CITY, STATE, ZIP CODE 1754 Centennial Drive , Laramie, Wyoming, 82070
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
L0000	<p>INITIAL COMMENTS</p> <p>A revislt survey was conducted on 2/24/26 through 3/18/2026 for all previous deficiencies cited on 1/9/26. All deficiencis have been corrected, and no new noncompliance was found. The facility is in compliance with all regulatlons surveyed.</p>	L0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the Institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE 	TITLE <i>Executive Director</i>	(X6) DATE <i>3/26/2026</i>
---	------------------------------------	-------------------------------